



CELLULA 50 P111272

Photoeye receiver-transmitter set, range up to 30 m, supply from 24 Vac to 31 Vac.



CELLULA 130 P111273

Flat self-aligning photoeye receiver-transmitter set, external installation, range up to 30 m, supply 24 Vac. Can be fitted both horizontally and vertically.



CCI D221573

Recessed holder for CELLULA 50 and INTRO (prearrangement for future installation).



Safety devices



SB BAT



BT BAT

SB BAT P125002

The SB BAT device ensures, through its batteries and battery charger, low-voltage operation of the DEIMOS BT when there is no power supply.

BT BAT 2 P125009

The BT BAT 2 device ensures, through its batteries and battery charger, low-voltage operation of the URANO BT when there is no power supply.

BT BAT P125005

The BT BAT device ensures, through its buffer batteries and battery charger, low-voltage operation of the swinging gate when there is no power supply.

VIRGO BAT P125008

The VIRGO BAT device ensures, through its buffer batteries and battery charger, low-voltage operation of the VIRGO when there is no power supply.

CB EOS P125006

The CB EOS device ensures, through its buffer batteries and battery charger, low-voltage operation of the EOS when there is no power supply.



CC 130 P903005

Pair of aluminium posts for CELLULA 130 photocells.



CC 130/2 P903006

Pair of aluminium posts for inserting two CELLULA 130 photocells.



CC 50 P903004

Pair of aluminium posts for CELLULA 50 photocells.



CSC 130 P903007

Aluminium post for INTRO selector, prearranged for inserting CELLULA 130 photocell, 1m high, and CC130 post.



CSC 50 P903008

Aluminium post for INTRO selector support, or CELLULA 50 photocell support, 1m high.



BAR 1 N190027

Rubber edge with support, caps already fitted, 1m long

BAR 1,5	N190028	BAR 1 version, but 1,5m long
BAR 1,8	N190029	BAR 1 version, but 1,8m long
BAR 2	N190030	BAR 1 version, but 2m long



BIR N190033

Low-contour rubber edge for barriers and overhead doors.



CM1000 P111050

Mechanical rubber safety edge with 1m long wire.

CM1500	P111051	Mechanical rubber safety edge with 1,5m long wire
CM1700	P111052	Mechanical rubber safety edge with 1,7m long wire
CM2000	P111053	Mechanical rubber safety edge with 2m long wire
CM3000	P111054	Mechanical rubber safety edge with 3m long wire
CM4000	P111055	Mechanical rubber safety edge with 4m long wire
CM5000	P111056	Mechanical rubber safety edge with 5m long wire